# **Complete Summary**

#### **TITLE**

Hip replacement surgery: age-standardized rate of unilateral or bilateral hip replacement surgery performed on inpatients in acute care hospitals per 100,000 population age 20 years and over.

## SOURCE(S)

Canadian Institute for Health Information (CIHI). Health indicators 2008: definitions, data sources and rationale. Ottawa (ON): Canadian Institute for Health Information (CIHI); 2008 May. 39 p.

## **Measure Domain**

#### **PRIMARY MEASURE DOMAIN**

Use of Services

The validity of measures depends on how they are built. By examining the key building blocks of a measure, you can assess its validity for your purpose. For more information, visit the Measure Validity page.

#### **SECONDARY MEASURE DOMAIN**

Does not apply to this measure

#### **Brief Abstract**

## **DESCRIPTION**

This measure is used to assess the age-standardized rate of unilateral or bilateral hip replacement surgery performed on inpatients in acute care hospitals per 100,000 population age 20 years and over.

#### **RATIONALE**

Hip replacement surgery has the potential to improve functional status, reduce pain, as well as contribute to other gains in health-related quality of life. Over the past two decades, rates of hip replacement surgery have increased substantially. Wide inter-regional variation in joint replacement rates may be attributable to numerous factors including the availability of services, provider practice patterns, and patient preferences.

#### PRIMARY CLINICAL COMPONENT

Hip replacement surgery (unilateral or bilateral)

# **DENOMINATOR DESCRIPTION**

Total mid-year population age 20 years and over

#### **NUMERATOR DESCRIPTION**

Total number of discharges for hip replacement surgery for inpatients aged 20 years and over (see the related "Numerator Inclusions/Exclusions" field in the Complete Summary)

# **Evidence Supporting the Measure**

#### **EVIDENCE SUPPORTING THE VALUE OF MONITORING USE OF SERVICE**

 A formal consensus procedure involving experts in relevant clinical, methodological, and organizational sciences

# **Evidence Supporting Need for the Measure**

#### **NEED FOR THE MEASURE**

Monitoring and planning Variation in use of service

#### **EVIDENCE SUPPORTING NEED FOR THE MEASURE**

Canadian Institute for Health Information (CIHI). Health indicators 2008. Ottawa (ON): Canadian Institute for Health Information (CIHI); 2008. 96 p.

#### **State of Use of the Measure**

#### STATE OF USE

Current routine use

#### **CURRENT USE**

Federal health policymaking Monitoring and planning National reporting

# **Application of Measure in its Current Use**

#### **CARE SETTING**

Hospitals

## PROFESSIONALS RESPONSIBLE FOR HEALTH CARE

Physicians

#### LOWEST LEVEL OF HEALTH CARE DELIVERY ADDRESSED

Regional

#### **TARGET POPULATION AGE**

Age greater than or equal to 20 years

#### **TARGET POPULATION GENDER**

Either male or female

## STRATIFICATION BY VULNERABLE POPULATIONS

Unspecified

# **Characteristics of the Primary Clinical Component**

# INCIDENCE/PREVALENCE

In Canada in 2005-2006 the age-standardized rate of unilateral or bilateral hip replacement surgery performed on inpatients in acute care hospitals was 101.5 per 100,000 population age 20 years and over.

## **EVIDENCE FOR INCIDENCE/PREVALENCE**

Canadian Institute for Health Information (CIHI). Health indicators 2008. Ottawa (ON): Canadian Institute for Health Information (CIHI); 2008. 96 p.

#### **ASSOCIATION WITH VULNERABLE POPULATIONS**

Unspecified

#### **BURDEN OF ILLNESS**

Unspecified

#### **UTILIZATION**

Unspecified

#### COSTS

# **Institute of Medicine National Healthcare Quality Report Categories**

#### **IOM CARE NEED**

Not within an IOM Care Need

#### **IOM DOMAIN**

Not within an IOM Domain

# **Data Collection for the Measure**

#### **CASE FINDING**

Both users and nonusers of care

## **DESCRIPTION OF CASE FINDING**

Mid-year population age 20 years and over

## **DENOMINATOR SAMPLING FRAME**

Geographically defined

## **DENOMINATOR INCLUSIONS/EXCLUSIONS**

#### **Inclusions**

Total mid-year population age 20 years and over

#### **Exclusions**

Unspecified

#### RELATIONSHIP OF DENOMINATOR TO NUMERATOR

All cases in the denominator are not equally eligible to appear in the numerator

# **DENOMINATOR (INDEX) EVENT**

Does not apply to this measure

## **DENOMINATOR TIME WINDOW**

Time window is a single point in time

# **NUMERATOR INCLUSIONS/EXCLUSIONS**

#### **Inclusions**

Total number of discharges for hip replacement surgery for inpatients aged 20 years and over

**Note**: Refer to the original measure documentation for the Canadian Classification of Diagnostic, Therapeutic, and Surgical Procedures (CCP) and Canadian Classification of Health Interventions (CCI) codes.

**Note**: Rates are based on the total number of discharges for hip replacement surgery in a given year. Therefore, a patient who received both a left and a right hip replacement in the same year but at separate admissions would be counted twice.

#### **Exclusions**

Procedures coded as cancelled, previous, out-of-hospital and "abandoned after onset" are excluded.

# MEASURE RESULTS UNDER CONTROL OF HEALTH CARE PROFESSIONALS, ORGANIZATIONS AND/OR POLICYMAKERS

The measure results are somewhat or substantially under the control of the health care professionals, organizations and/or policymakers to whom the measure applies.

#### NUMERATOR TIME WINDOW

Institutionalization

#### **DATA SOURCE**

Administrative data

#### LEVEL OF DETERMINATION OF QUALITY

Does not apply to this measure

## **PRE-EXISTING INSTRUMENT USED**

Unspecified

# **Computation of the Measure**

#### **SCORING**

Rate

#### **INTERPRETATION OF SCORE**

Undetermined

#### **ALLOWANCE FOR PATIENT FACTORS**

Case-mix adjustment

## **DESCRIPTION OF ALLOWANCE FOR PATIENT FACTORS**

Age-standardized rates are reported.

#### STANDARD OF COMPARISON

External comparison at a point in time External comparison of time trends Internal time comparison

# **Evaluation of Measure Properties**

## **EXTENT OF MEASURE TESTING**

Unspecified

# **Identifying Information**

#### **ORIGINAL TITLE**

Hip replacement rate.

#### **MEASURE COLLECTION**

**Health Indicators 2008** 

#### **DEVELOPER**

Canadian Institute for Health Information

# **FUNDING SOURCE(S)**

Canadian Government

#### COMPOSITION OF THE GROUP THAT DEVELOPED THE MEASURE

Employees: Canadian Institute for Health Information (CIHI) Health Indicators

## FINANCIAL DISCLOSURES/OTHER POTENTIAL CONFLICTS OF INTEREST

None

#### **ADAPTATION**

Measure was not adapted from another source.

#### **RELEASE DATE**

2006 Jun

#### **REVISION DATE**

2008 May

#### **MEASURE STATUS**

This is the current release of the measure.

## SOURCE(S)

Canadian Institute for Health Information (CIHI). Health indicators 2008: definitions, data sources and rationale. Ottawa (ON): Canadian Institute for Health Information (CIHI); 2008 May. 39 p.

#### **MEASURE AVAILABILITY**

The individual measure, "Hip Replacement Rate," is published in "Health Indicators 2008: Definitions, Data Sources and Rationale." This document is available in Portable Document Format (PDF) from the <u>Canadian Institute for Health Information (CIHI) Web site</u>.

For more information, contact CIHI at, 4110 Yonge Street, Suite 300, Toronto, Ontario, Canada, M2P 2B7; Phone: 416-481-2002; Fax: 416-481-2950; E-mail: indicators@cihi.ca; Web site: http://www.cihi.ca/cihiweb/.

## **COMPANION DOCUMENTS**

The following is available:

- Canadian Institute for Health Information (CIHI). Health indicators 2007.
  Ottawa (ON): Canadian Institute for Health Information (CIHI); 2007. 87 p.
  This document is available in Portable Document Format (PDF) from the Canadian Institute for Health Information (CIHI) Web site.
- Canadian Institute for Health Information (CIHI). ICD-9/CCP, ICD-9-CM and ICD-10-CA/CCI codes for health indicators 2007. Ottawa (ON): Canadian Institute for Health Information (CIHI); 2007. various p. This document is available from the CIHI Web site.

#### **NQMC STATUS**

This NQMC summary was completed by ECRI Institute on October 10, 2008. The information was verified by the measure developer on December 18, 2008.

#### COPYRIGHT STATEMENT

This NQMC summary is based on the original measure, which is subject to the measure developer's copyright restrictions. Use of Canadian Institute for Health Information's (CIHI) quality measure for research, private study, education, or other non-commercial purposes is permitted where full credit is given to CIHI as author and owner of the quality measure. Any use that is wholly or partly commercial in nature requires CIHI's express written permission.

For more information, contact CIHI at, 4110 Yonge Street, Suite 300, Toronto, Ontario, Canada, M2P 2B7; Phone: 416-481-2002; Fax: 416-481-2950.

#### Disclaimer

## **NQMC DISCLAIMER**

The National Quality Measures Clearinghouse™ (NQMC) does not develop, produce, approve, or endorse the measures represented on this site.

All measures summarized by NQMC and hosted on our site are produced under the auspices of medical specialty societies, relevant professional associations, public and private organizations, other government agencies, health care organizations or plans, individuals, and similar entities.

Measures represented on the NQMC Web site are submitted by measure developers, and are screened solely to determine that they meet the NQMC Inclusion Criteria which may be found at

http://www.qualitymeasures.ahrq.gov/about/inclusion.aspx.

NQMC, AHRQ, and its contractor ECRI Institute make no warranties concerning the content or its reliability and/or validity of the quality measures and related materials represented on this site. The inclusion or hosting of measures in NQMC may not be used for advertising or commercial endorsement purposes.

Readers with questions regarding measure content are directed to contact the measure developer.

Copyright/Permission Requests

Date Modified: 4/13/2009

